


SNB SERIES SERVER NETWORK RACK

42U Sizes

BPE SNB series rack specially designed for network servers of high density in IT environment. With accessories of bracket, cable manager, PDU fixing slot, high quality locks, supply safe place for important IT equipment.

Highlights


- **Solid doors**
Standard solid doors.
- **Easy Transportation**
SNB series Server / network cabinet can be shipped in knock-down packing, which will save 2/3 space than assembled
- **More space for cable management**
Vertical installation metal management in 600mm wide rack provide more space for network cable management.
- **Excellent vented doors**
High density vented single front door and split rear door, vented area more than 78% of the door area.
- **High loading capacity**
Static loading capacity up to 1250KG.



SERVER NETWORK RACK



Features



High-density perforated front door (single open)with over 110 turning degree.



High-density perforated rear door(dual open)enable equipment ventilation and reliable operation with ventilation rate above 78%.



Fan tray (with 4 fans) allow air flow in the cabinet.



Lockable and removable side panels,the side panel lock is optional.



Easy structure for assembly will shorten your work period.




Adjustment is quick and convenient can slide them to the required depth and refasten.

SERVER NETWORK RACK



Components of SNB Series




S/N	Name	Quantity
1	Top cover	1
2	Bottom plate	1
3	Door frame	2
4	Front door	1
5	Rear door	1
6	Side panel	2
7	Horizontal beam	6
8	Vertical rail	4
9	Cable management rail	2
10	Connecting box	12
11	Castor(2 with brake)	4
12	Levelling feet	4


Main Dimension of BNB Series



Front View




Mounting Dimension




Side View




Rear View



Rear View(without rear door)



Top View



Bottom View


Specifications

Model	Capacity (U)	Dimension W*D*H(mm)	BU Packing Dimension		KD Packing Dimension			
			W*D*H(mm)	Volume (CBM)	Carton A W*D*H(mm)	Carton B W*D*H(mm)	Carton C W*D*H(mm)	Volume (CBM)
SNB6142IK	42	600*1000*2055	620*1020*2070	1.309068	1980*620*320	620*1020*130	1910*60*730	0.475

Knock-down Packaging



Carton A: Top cover, Bottom panel, Horizontal beam, Accessory box





Carton B: Front door, Rear door, Side panel, Frame, vertical rail

Material:

SPCC Cold Rolled Steel.

Color:

RAL9005



Inbuilt Accessories

Fan Shelf with 4 Fan



Equipment Shelf



Key Board Shelf



High-density Cable Manager



PDU (Optional)

